

**MALABSORPTION** refers to different scenarios in which the body does not absorb different needed nutrients. These digestive problems are often considered “syndromes”, meaning that current science has observed them but often has little idea what causes them or how to heal them. The most common “solutions” have been to quit eating what causes malabsorption symptoms or take supplements to counter the poor absorption.

We believe that most of these conditions can be eradicated for a lifetime. The enzyme deficiencies that cause most of these issues are miasmically based and reversible with miasmically based antidotes. Our goal is to return the body’s ability to digest all foods appropriately and not need to take supplements, drugs or our remedies for the rest of our life. The method may take longer than patches, but it will last.

**INTESTINAL DESTRUCTION** of a slow kind takes place with the diseases called **Lynch 1** and **Lynch 2**. These diseases are considered “rare” and spell “non-neoplastic cancer” in the scientific research centers. More was found in later years.

Additionally we find that science has excluded that the disease deteriorates lungs as well. In 2005 a lady presented herself with 5 different forms of lung diseases and cancer. We were able to quell all the lung diseases but she continued to deteriorate systemically. We found too late to help her that the lung diseases were secondary to the intestinal disease which ultimately claimed her. Her legacy to the living is this discovery of the connection of the intestines to the lungs. She was slender and had to eat often, but considered that need as “just her constitution”. She described her digestion as “normal”, when it was anything but normal. Subsequent findings reveal the subjects all say something like this. Deep questioning finds they have to be very careful with what they eat or they get sick, have diarrhea and are nauseous. The thought of intestinal cancer does not register as a possibility in their minds. They are often deeply committed to “health food” and are very knowledgeable about foods in general.

Statistics from science note a high correlation of carcinomas in the endometrium, ovaries, stomach, ureter and hepatobiliary system. There is a frequent finding of either **Sebaceous Adenomas**, **Keratoacanthomas** or **Keratocuboidomas** found by science. There is a similar pattern found in the Thin Wall Disease that the condition also attracts **Adeno Virus Groups** and **Adeno Adenomas**.

We continued to research this disease, finding 12 more versions in 2007 and 40 more in 2008. They correlated to esophageal weakness swallowing difficulties, rectal deterioration, brain weakness and the list goes on. Finally we found the missing principal. The specific and scattered points of weakness correlated to the intestinal absorption of porphyrins, the light absorbing molecules. Porphyrins are known in plants to effect biosynthesis of the sun to create chlorophyll and in humans to help create the heme of red blood cells. The finding suggests that porphyrins effect far more than heme in their biosynthesis of light.

Because the destruction of these conversion points made the interior of the intestines look like cheesecloth (thin in some areas and thick in others) we named the comprehensive remedy **Intestinal Cheesecloth**.

### **SUMMARY OF REMEDIES**

(with range of mega bottles needed)

<b>ADENO VIRUS GROUP</b>	___	2-3
<b>ADENO ADENOMA</b>		4-5
<b>INTESTINAL CHEESECLOTH</b>		6
<b>KERATOACANTHOMA</b>		4-5
<b>KERATOCUBOIDOMA</b>		4-5
<b>SEBACEOUS ADENOMA</b>		4-5
<b>SEBACEOUS ADENOMA COMPLEX</b>		4-5
<b>VILLOUS ADENOMA</b>		4-5
<b>VILLONODULAR COMPLEX</b>		4-5

**Villous Adenoma** is often the result of weakness of the porphyrin absorption. It can cause a severe loss of potassium (hypokalemic) and shift into a form of hepatic failure.

The subject is little known in science and may be more prevalent than thought.

**Villonodular Complex** is for swellings in synovial sacks, sometimes the sacks in the intestinal walls.

**INTESTINAL DESTRUCTION** of a slow kind is often the benchmark of **Muir Torre**, a non-neoplastic deterioration of the intestines. This is similar to Lynch 1 and Lynch 2, but less well known and less often seen.

The few people we have seen are usually slender because they do not digest any food well. They eat relatively carefully and suffer pains and nausea when eating "non-healthy" food.

Complications include **Keratoacanthoma**, **Keratocuboidoma**, **Sebaceous Adenoma**, **Squamous Cell Carcinoma**, **Adeno Adenoma**, **Adeno Virus groups**. They seem more vulnerable to bacterial infections of the intestines.

**SUMMARY OF REMEDIES**

**FOR MUIR TORRE**

(with range of mega bottles needed)

<b>MUIR TORRE</b>	<b>4-6</b>
<b>KERATOACANTHOMA</b>	<b>4-6</b>
<b>KERATOCUBOIDOMA</b>	<b>4-6</b>
<b>SEBACEOUS ADENOMA</b>	<b>4-6</b>
<b>SEBACEOUS ADENOMA</b>	<b>4-6</b>
<b>COMPLEX</b>	<b>4-5</b>
<b>ADENO VIRUS GROUP ?</b>	<b>2-3</b>
<b>ADENO ADENOMA</b>	<b>4-6</b>
<b>SQUAMOUS CELL CARCINOMA</b>	<b>4-6</b>

**ANTIGEN-ANTIBODY MIXUP SERIES** When an antigen (invading pathogen, such as a bacteria, fungus or virus) enters the body, the blood serum carries a Complement (meaning to make complete) of enzyme proteins that are supposed to capture the antigen and destroy it by making a specific antibody. The enzyme proteins are numbered C1 currently to C9. When these Complements are dysfunctional, the body has trouble destroying many pathogens and seems to be susceptible to multiple infections. Most of the Complement problems are inherited, although it is believed that chemicals can cause a similar reaction.

The issue is an immune response problem that often feels like a swelling or an inadequacy. Subjects saying they feel continually toxic (because they can't get rid of the pathogen). Most people say they have allergies that they don't know how to explain. Commonly they are given an inaccurate diagnosis of similar diseases or are designated to have a "syndrome". A syndrome means that the phenomena can be observed but the cause is unknown. Many known syndromes may be caused by specific Complement abnormalities. For instance, we see Behcet's syndrome as caused by C5 or remedied by Antigen-Antibody Mix-up 5. Rett's Syndrome may be a combination of PKU and C8.

It is common to have skin eruptions from scalp to trunk to soles. Mucous eruptions are often a common denominator, especially in the mouth, eyes and genitals. In a combination of mucous and internal skin, most all of the people have intestinal problems that seem non-specific and not identified as a known disease. It is common to attract parasites because of the infections. There are arthritic-like afflictions for some and muscle problems for others. Less common are swellings that resemble phlebitis and cerebral abnormalities.

**SUMMARY OF REMEDIES**

**FOR AA MIX-UP SERIES**

(with range of mega bottles needed)

<b>AA MIX-UP 1</b>	<b>4-5</b>
<b>AA MIX-UP 2</b>	<b>4-5</b>
<b>AA MIX-UP 3</b>	<b>4-5</b>
<b>AA MIX-UP 4</b>	<b>4-5</b>
<b>AA MIX-UP 5</b>	<b>4-5</b>
<b>AA MIX-UP 6</b>	<b>4-5</b>
<b>AA MIX-UP 7</b>	<b>4-5</b>
<b>AA MIX-UP 8</b>	<b>4-5</b>
<b>AA MIX-UP 9</b>	<b>4-5</b>

**GASTRIN INSUFFICIENCY** Gastrin is a polypeptide hormone secreted by the pylorus, that stimulates the flow of gastric juice and contributes to the stimulation of bile and pancreatic enzyme secretion. Lack of gastrin causes insufficient digestion and malabsorption of most everything plus incite the body to produce candida albicans.

Long-term deficiency dries out the mucous membranes of the intestinal walls and causes gastric fistulas to grow on the intestinal walls. Drying of the mucous walls sometimes kills sections of the intestines requiring, in allopathic opinion, the removal of sections of the large intestines. The condition seems to most affect the sigmoid colon.

Lack of gastrin can close both ends of the esophagus, causing burping and some forms of esophageal reflux from the closing of the lower end and snoring from the closing of the upper end.

A liver deprived of gastrin will swell and cause concurrent swelling of the spleen, giving the person a big belly. The swollen liver is apt to invite other liver infections. The condition may develop a **GASTRINOMA** with a retrovirus, so we made **GASTRINOMA COMPLEX**.

**SUMMARY OF REMEDIES**  
**FOR GASTRIN INSUFFICIENCY**  
(with range of mega bottles needed)

<b>GASTRIN GALORE</b>	4-6
<b>GASTRINOMA</b>	4-6
<b>GASTRINOMA COMPLEX</b>	5-6

**WHIPPLE'S DISEASE** – With all due respect to Dr. Whipple, with a disease named like this, most men will try to ignore it. Yet, it is mostly men between 30 and 60 that are shown to have it. However, it is not gender specific.

The disease affects heart, lung, brain, liver, gall bladder, lymph, serous cavities, joints, eyes and especially the GI tract. It is most known to produce abdominal pain, cough, lung pain, lung mucous, anemia, skin pigmentation, and joint pains (including arthritis and polyarthralgia). Weight loss, diarrhea and severe malabsorption is common if this disease exists alone.

Very commonly it is combined with some form of granulomatosis (rawness in mucous areas) which makes the person gain weight instead of lose weight. The nature of the infection seems to first affect the lymph, which can often bring a sarcoidosis to the spleen. It constricts the liver in a way that it will swell and sequentially cause the spleen to swell.

The remedy called **Whipple's** is aimed at the bacterial cause and the miasmatic base. **Internal Inflammation** is aimed at a master granulomatosis remedy. The two problems together produce both a disabled gall bladder and scaly skin.

If there is a concurrent disease in the liver that does not allow oil to be converted to a form that the gall bladder can digest, take **Liver Oil Conversion**. People with all three usually love mayonnaise.

**SUMMARY OF REMEDIES**  
**FOR WHIPPLE'S DISEASE. et al**  
(with range of mega bottles needed)

<b>WHIPPLE'S</b>	4-6
<b>INTERNAL INFLAMMATION</b>	4-6
<b>SARCOIDOSIS (w/RV____)</b>	4-6
<b>LIVER OIL CONVERSION</b>	4-6

**GALACTOSE INTOLERANCE** - Galactosemia could be seen as another lactose intolerance because the chief form of galactose is mammalian milk. **Galactosemia I** involves the cirrhosis of the liver, distended belly because of swollen liver and spleen and sometimes eye problems (a form of cataract). **Galactosemia II** involves cirrhosis of the liver, distended belly because of swollen liver and spleen and difficulty in thinking after ingesting galactose types of carbohydrates (mostly milk mixtures). The two forms can cross over into each other.

**Galactose Brain Toxin** can quickly throw a subject from moodiness, to giddiness, to spaciness. There can be some negative expressions of emotions and there can be mental deficiencies.

With all the scientific literature available, the chief sign is still the non-intestinal reaction to milk.

There is an additional problem with the pasteurization of milk that may mimic this disease. The albumin of the milk deteriorates the pancreas and lymph in a way that makes pasteurized milk as poisonous as a galactose intolerance.

**SUMMARY OF REMEDIES**  
**FOR GALACTOSE INTOLERANCE**  
(with range of mega bottles needed)

<b>GALACTOSEMIA I</b>	<b>2-5</b>
<b>GALACTOSEMIA II</b>	<b>2-5</b>
<b>GLACTOSE BRAIN TOXIN</b>	<b>3-5</b>
<b>MILK PASTEURIZATION POISON</b>	<b>1-5</b>

**LACTOSE INTOLERANCE** is an allergy to dairy products other than those especially made for anti intolerance. Generally this includes liquid milk, ice cream and cheese. Strangely some people can tolerate certain kinds of cheese, but none of the other milk products. Milk products produce symptoms including diarrhea, gas, rumbling, cramps, stunted growth, floating and stinking feces.

Sometimes the gall bladder is the problem when it cannot digest the fats in milk products. Take **Lactose Sensitive**.

See also Galactose Intolerance.

**SUMMARY OF REMEDIES**  
**FOR LACTOSE INTOLERANCE**  
(with range of mega bottles needed)

<b>LACTOSE INTOLERANCE</b>	<b>4-5</b>
<b>LACTOSE SENSITIVE</b>	<b>4-5</b>

**CASEIN INTOLERANCE** is for a phosphoprotein that is the principle protein of milk. Casein is the basis of curd and cheese.

**SUMMARY OF REMEDIES**  
**FOR CASEIN INTOLERANCE**  
(with range of mega bottles needed)

<b>CASEIN INTOLERANCE</b>	<b>4-5</b>
---------------------------	------------

**STARCH INTOLERANCE** is not often recognized as a separate intolerance, but more as part of carbohydrate intolerance. Starch is in many carbohydrates. The most common form of starch is a food or gravy or syrup thickener. Corn syrup is especially difficult and has its own problems in addition to its classification.

**SUMMARY OF REMEDIES**  
**FOR STARCH INTOLERANCE**  
(with range of mega bottles needed)

<b>STARCH INTOLERANCE</b>	<b>4-5</b>
<b>CORN SYRUP</b>	<b>1-5</b>

**SECRETIN** is a newly discovered small intestine enzyme that helps digestion in more subtle ways than large intestine digestion. We created **Secretin Complex** from previous remedies for those who do not make enough of the enzyme.

We find it has more to do with the hormonal side of digestion and often accompanies hormonal difficulties. When someone says their intestines shut down with even slight emotions, it may be the best indicator of the need for this remedy.

**SUMMARY OF REMEDIES**

**FOR SECRETIN**

(with range of mega bottles needed)

**SECRETIN COMPLEX** 4-5

**POLYPS** are usually seen in the intestines, but could appear elsewhere from Familial Adenomatous Polyposis.

**Polyposis Familial Adenomatous Complex** is the group of remedies and complications we have seen in this disease. Polyps are usually discovered by accident in a colonoscopy and often treated locally by medicine. We believe it represents a continuing probability until treated. We see the Thin Wall Disease is progressing more swiftly in these cases. It was later discovered that polyps first show in the appendix. The appendix strangely does not test as part of the intestines so this disease must be tested for the appendix directly. If the appendix was removed, there is a strong chance that this disease will later develop in the intestines.

**SUMMARY OF REMEDIES**

**FOR POLLYPS**

(with range of mega bottles needed)

**POLYPOSIS FAMILIAL  
ADENOMATOUS COMPLEX** 4-5

**FRUCTOSE INTOLERANCE** - We could be technical in the description, but the issue is an aversion to fruit. Many of the subjects appear to be able to eat fruit easily, but not for a long time. They usually avoid fruit, although they handle fruit juices well. Most have trouble with apples, which causes gas easily.

**SUMMARY OF REMEDIES**

**FOR FRUCTOSE INTOLERANCE**

(with range of mega bottles needed)

**FRUCTOSE INTOLERANCE** 4-5

**NUT INTOLERANCE** – Many kind of nuts carry a fungus in them while many others have certain chemicals that are disagreeable. Certainly the mold, **Aflatoxin** and a combination with another mold, **Aflagot** are most known around peanut allergies. This is any allergy that can manifest itself by an attraction to nuts as well as an aversion to nuts. People may eat a lot of nuts and like them, but find themselves bloating later.

**SUMMARY OF REMEDIES**

**FOR NUTS INTOLERANCE**

(with range of mega bottles needed)

**NUT ALLERGY** 4-5

**B6/B12 ABSORPTION** – A malabsorption of Pyridoxine and Cobalamin leaves problems absorbing protein, fats and carbohydrates. It is one of the factors that instinctively guides people to vegetarianism, although the condition is exacerbated by vegetarianism. Usually the folic acid portion is stronger which makes eating green vegetables a very good compensation.

Symptoms of extreme deficiency include numbness or tingling of hands and feet, neuritis, nervousness, poor muscle coordination, body odor and menstrual disturbances. Most people have only mild deficiencies, which show up in a precarious digestive system and grey hair.

**SUMMARY OF REMEDIES**  
**FOR B6/B12 ABSORPTION**  
(with range of mega bottles needed)

**B6/B12 ABSORPTION**      2-3

**INOSINE** is harvested from animal intestines and used in food flavoring and packaging. Although the pure inosine is thought to be a stimulator of the immune system and is the justification for using this product, we find the material damaging to human immune systems. **Inosine Complex** is a combination of the remedies found to counter the intestinal damage to humans. Most people are nauseous when they first start the remedy. We don't yet know the key identifying symptom. The only deep clue is the association with people who have gained weight.

**SUMMARY OF REMEDIES**  
**FOR INOSINE COMPLEX**  
(with range of mega bottles needed)

**INOSINE COMPLEX**      3-4

**CHOLECYSTOKININ/SINCALIDE** together signal the gall bladder to squeeze the gall bladder and release bile. We made a remedy for a deficiency of each and combined them in **Gall Bladder Squeeze**. When gall bladders are not working this may often be involved in the solution.

**SUMMARY OF REMEDIES**  
**FOR GALL BLADDER**  
(with range of mega bottles needed)

**GALL BLADDER SQUEEZE**      2-3

**GLANDERS** is a disease from the bacteria *Pseudomonas Mallei* that is thought to be a disease of the past and rare today. We see it still, often with **Brucellosis**. It has transferred by congenital carryover and miasms enough that we made the remedy **Glanders Human**. Both are easily found with an undisclosed farm disease from animals eating feces called **Mufritzal Complex**.

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

**GLANDERS**      2-3  
**GLANDERS HUMAN**      3-4  
**MUFRITZAL COMPLEX**      3-6

**KERNICTURUS** causes bilirubin to become toxic with a variety of symptoms starting with Hepato-splenomegaly and constipation. Protein is not well digested so people feel more comfortable with vegetarian diets. Less clear in symptoms is the negative affect on the DNA which causes the general health to decrease. This is thought to be a child disease but it is also found in adults who have had life-long digestion problems. The neural form has encephalitis as a symptom.

**SUMMARY OF REMEDIES**  
 (with range of mega bottles needed)

<b>KERNICTURUS</b>	<b>CHRONIC</b>	<b>3-6</b>
<b>KERNICTURUS</b>	<b>COMBINTION</b>	<b>3-6</b>
<b>KERNICTURUS</b>	<b>NEURAL</b>	<b>3-6</b>

**PANNICULITIS** causes fatty nodules to form under the skin. Research shows that it can also block organs with fat nodules. The nodules are known to form on the abdominal cavity, but have also been found on connective tissue on extremities and the back. Some forms need Keratocytoma as part of the solution.

**SUMMARY OF REMEDIES**  
 (with range of mega bottles needed)

<b>PANNICULITIS</b>	<b>CYTOPATHIC HISTOCYTIC</b>	<b>3-5</b>
<b>PANNICULITIS</b>	<b>MESENTERIC</b>	<b>3-5</b>
<b>PANNICULITIS</b>	<b>MULTICYSTIC</b>	<b>3-5</b>

In 2008 we began to research on a cell that helps the breakdown of amino acids from incoming food to make amino acids (building blocks) for parts of our body. The conversion of amino acids has been considered mainly a function of the liver and intestines, although there is evidence the function may be more disperse than two organs. We created the remedy **DIGESTION CELL DISEASE** with hopes that this may prove to be a scientific undiscovered cell function that would help all digestion and amino acid conversion

**SUMMARY OF REMEDIES**  
 (with range of mega bottles needed)

<b>DIGESTION CELL DISEASE</b>	<b>5-6</b>
-------------------------------	------------

**METABOLIC KEY** is a remedy related to the Thymus and the conversion of estradiol. In this disease estrogen is made more like the creation of fetuses to store fat instead of use it as fuel. Many people would prefer not to store fat and this experiment may help the metabolic function in a way that stores less fat.

**SUMMARY OF REMEDIES**  
 (with range of mega bottles needed)

<b>METABOLIC KEY</b>	<b>4-6</b>
----------------------	------------

No matter what they do there are some people who defy all known diseases and norms about digestion of food. We see it most in children, but find it to a lesser degree in adults so we named the remedy **FOOD BONKERS** for children. It is also related to brain confusion as a reaction to food, mostly with Phenylalanine (a liver amino acid). We believe this needs more refined research. At the moment if a subject can't eat the same food more than once every two weeks without feeling confused, allergic and bloated, this may be the remedy that solves the issue.

**SUMMARY OF REMEDIES**  
 (with range of mega bottles needed)

<b>FOOD BONKERS</b>	<b>4-5</b>
---------------------	------------

**Intestinal Tuck & Twist** The prolapse of one part of the intestine that telescopes and tucks into the lumen (the tubular cavity) of the immediately adjoining part. It can happen at any part of the large or small intestine or the ileocecal valve. Mostly noted in newborns or runners, this inherited condition of "intussusception" can happen to non-runner adults. With the telescoping breakage the intestines begin to twist (which reduces leakage). The subject has abdominal pains strong enough to sometimes make breathing difficult. The tightness extends from approximately the ribs to groin and extends into the back (usually causing pain). The belly is constantly distended (like ascites) and more so after meals. After eating cold sweats are reported followed by fatigue and evacuation becomes difficult. Massage and colonics help marginally but causes a feeling of gas pockets. This is a relative of Crohn's Disease which accompanies it. Rashes often accompany the issue as toxins try to exit via the skin.

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

**INTESTINAL TUCK & TWIST** 4-6

**FOOD ROT DISEASE** There are many bacteria and fungi that invade rotting food. Seemingly chief amongst the bacteria are Cenocepacia and Cepacia Multivorans which are found in damp and rotting conditions common to the food transport conditions by truck. Some sleuthing finds it is growing especially in Genetically Modified Food (GMF), even though the mutations were made to supposedly decrease the rot. We made **Cepacia Malaise** to combat the symptoms which are often more subtle than obvious. The infection settles in livers and endocrine glands. We found it in the Hypothalamus depleting the essential Human Chorionic Growth Hormone needed for digestion (and other issues).

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

**CEPACIA MALAISE** 3-6

**Soy Intolerance** is made for the many foods that have soy included in the mix of contents. Most of the time the intolerance is caused by using unfermented soy which has been shown to be carcinogenic. Soy should always be fermented before use with food.

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

**SOY INTOLERANCE** 4-6

**SUGAR INTOLERANCE** This is mainly for commercially produced sugar. It is included in many foods.

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

**SUGAR INTOLERANCE** 4-6

**SUCROSE INTOLERANCE** This is mainly felt with sugar added to flour. It mimics a wheat intolerance.

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

**SUCROSE INTOLERANCE** 4-6

**SUGAR DEXTROSE INTOLERANCE** Dextrose problems are involved in deformed joints (big toe, thumbs) in "distorting" arthritis. The condition mimics bursitis or gout. It is similar to **SUGAR POISONING** which is for an inherited flaw of converting sugar which makes all carbohydrates bind to calcium in the pancreas. The blocked pancreas produces less insulin which impairs the conversion of sugar to energy. The disease strongly resembles Diabetes Mellitus.

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

<b>SUGAR DEXTROSE INTOLERANCE</b>	4-6
<b>SUGAR POISONING</b>	4-6

**SUGAR DIGESTION MALADY** Sugar is digested through the small intestines. Although insulin from the pancreas helps to digest blood sugar, the sugar still needs to be digested for use by the organs. Intestines that have difficulty digesting sugar will leave more sugar in the blood stream and make diabetes worse or mimic diabetes. The symptoms are similar to **SUGAR POX**. Often instinctively the subject dislikes more than small quantities of sugar because the digestion is limited. The sugar block weakens the conversion of serum dross to lymph, weakens healing ability and depletes the special sugar needed for nerves.

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

<b>SUGAR DIGESTION MALADY</b>	4-6
<b>SUGAR POX</b>	4-6

**SUGAR BONE** The bones make a fundamental sugar: glycerone (dihydroxyacetone) that is carried in the blood and directly catalyzes usage of bile, choline, inositol, lecithin and porphyrins. It is so primary that it resists insulin. When it is infiltrated by phosphorus (because of this disease), the sugar becomes inert, stays in the blood, and does little more than catalyze blood and kidney problems. This phosphorus disease of the bone is therefore responsible for unutilized bile in the liver, gall bladder, nerve weakness because of unused lecithin and weight gain because of unused choline and inositol. Diabetics with this condition are classified "insulin resistant" or "insulin allergic".

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

<b>SUGAR BONE</b>	4-6
-------------------	-----

**SUGAR STORE** - A Glucose Malabsorption Disease - Insufficient digestion of sugar so that it stores as fat and blocks kidneys to cause edema. See also **SUGAR BUGAR**. It's results are similar to **SUGAR SLIM** which is an inherited disease of the pancreas activated by adrenal push. It pushes sugar into adipose tissue forming what is commonly called fat. The remedy aims at reversing the condition which is usually seen after prolonged adrenal stress.

**SUMMARY OF REMEDIES**  
(with range of mega bottles needed)

<b>SUGAR BUGAR</b>	4-6
<b>SUGAR STORE</b>	4-6
<b>SUGAR SLIM</b>	4-6